


# ANCHORS FOR FIBRE LININGS

## IPH.10 – 100 – 020 - 310

Options :

TYPE    Ø    LENGTH L    LENGTH A    ALLOY




### Our recommendations :

- Welding with electrode



France – phone : + 33 3 66 50 00 30  
anchorscontact@gmail.com  
www.anchorsforrefractory.com



D8-01  
06-2015


This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification



D-ANCHORS FOR FIBRE LININGS

## IPS.12 – 100 – 020 - 310

TYPE    Ø    LENGTH L    LENGTH A    ALLOY




Options :

### Our recommendations :

- Stud welding



France – phone : + 33 3 66 50 00 30  
anchorscontact@gmail.com  
www.anchorsforrefractory.com



D8-02  
06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification

# ANCHORS FOR FIBRE LININGS

## IPT.12 – 100 – 020 - 310

TYPE    Ø    LENGTH L    LENGTH A    ALLOY




Options :

Our recommendations :



France – phone : + 33 3 66 50 00 30  
anchorscontact@gmail.com  
www.anchorsforrefractory.com



D8-03  
06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification


**D-ANCHORS FOR FIBRE LININGS**

# ANCHORS FOR FIBRE LININGS

## TPS.10 – 200 – 020 - 304

TYPE    Ø    LENGTH L    LENGTH A    ALLOY

Options :




### Our recommendations :

- Stud welding



France – phone : + 33 3 66 50 00 30  
anchorscontact@gmail.com  
www.anchorsforrefractory.com



D8-04  
06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification





D-ANCHORS FOR FIBRE LININGS

# ANCHORS FOR FIBRE LININGS

## TPH.10 – 200 – 020 - 304

TYPE Ø    LENGTH L    LENGTH A    ALLOY

Options :



### Our recommendations :

- Welding with electrode



France – phone : + 33 3 66 50 00 30  
anchorscontact@gmail.com  
www.anchorsforrefractory.com

D8-05  
06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification




# ANCHORS FOR FIBRE LININGS

## TPT.10 – 200 – 020 - 304

Options :

TYPE     $\emptyset$     LENGTH L    LENGTH A    ALLOY



Our recommendations :



France – phone : + 33 3 66 50 00 30  
anchorscontact@gmail.com  
www.anchorsforrefractory.com



D8-06  
06-2015

This drawing is the property of ANCHORS unauthorised use and / or reproduction of the drawing is prohibited. Informations mentioned are guide lines only and can be modified without previous notice .Please contact us if you want a liable specification

